Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
Ļ1	360	74/593.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/10 10:27
L2	73	1 and (stroke or displacement)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/10 10:29
L3	1	1 and (variable with (stroke or displacement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/10 10:28
L4	1562	74/600,601,602.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/10 10:29
L5	165	4 and ((variable or alternat\$3 or chang\$3) with (stroke or displacement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/10 10:36
L6 `	125	5 and (groove or slot or recess or cavity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/10 10:33
L7	277	74/595	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/10 10:33
L8	768	74/595.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/10 10:33
L9	29	8 and ((variable or alternat\$3 or chang\$3) with (stroke or displacement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/10 10:34

Page 1 7/10/2006 11:32:16 AM Page C:\Documents and Settings\eyoung1\My Documents\EAST\Workspaces\7-5-06 Crankshaft Coupling Structure for Engine.wsp

L10	854	74/594.1,594.3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/10 10:36
L11	35	10 and ((variable or alternat\$3 or chang\$3) with (stroke or displacement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/10 10:36
S1	226	74/586	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/05 11:20
S2	200	S1 and (connecting or rod or connector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/10 11:26
S3	351	123/197.4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/05 11:20
S4	116	S3 and adjust\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/05 11:21
S5	28	("1278563" "1326129" "1326733" "136423" "1964096" "2394269" "3686972" "3861239" "4044629" "415295" "5040502" "5060603" "5158047" "5165368" "5170757" "5465648").PN. OR ("5927236"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 11:33
S6	17	("1111252" "1572918" "2433639" "2589958" "2897804" "4240386" "4738230" "4860702" "5136987").PN. OR	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 11:46
S7	30	("5201287").URPN. ("1476309" "1987661" "2060221" "3180178" "4301695" "4406257" "5002023").PN. OR ("5165368").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 12:06
S8	254	123/197.3	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 12:06

Page 2 7/10/2006 11:32:16 AM Page C:\Documents and Settings\eyoung1\My Documents\EAST\Workspaces\7-5-06 Crankshaft Coupling Structure for Engine.wsp

S9	79	S8 and adjust\$4	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 12:12
S10	11	MEYER-SIEGFRIED.in.	US-PGPUB; USPAT; USOCR	OR 	ON	2006/07/05 12:50
S11	14	74/579.00R	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 12:50
S12	132	74/579	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 12:55
S13	0	74/579.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 12:55
S14	2064	74/579R.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 12:55
S15	0	74/579.00R.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 12:55
S16	272	S14 and adjust\$4	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 12:56
S17	94	S16 and crank\$8	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 12:58
S18	1254	74/586.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 12:59
S19	332	S18 and adjust\$4	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 12:59
S20	107	.S19 and crank\$7	US-PGPUB; USPAT; USOCR	OR	ON 3	2006/07/05 13:02
S21	205	123/197.3.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 13:41
S22	459	123/197.4.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 13:41
S23	119	S22 and adjust\$4	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 13:41

7/10/2006 11:32:16 AM Page 3

S24	118	S23 and crank\$8	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 13:42
S25	0	S24 and angl	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 13:42
S26	84	S24 and angle	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 13:45
S27	200	crank\$6 with angle with adjust\$4 with slot	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 13:50
S28	5	crank\$6 with angle with adjust\$4 with slot with piston	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 13:46
S29	11	S27 same piston	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 13:50
S30	30	("0241714" "0288007" "0451283" "1508614" "1601655" "2277231" "3142852" "3534621" "4074530").PN. OR ("4339960").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 14:01
S31	13914	crankshaft and coupling	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 14:02
S32	1912	crankshaft near5 coupling	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 14:02
S33	381	S32 same piston	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 14:02
S34	212	S32 with piston	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 14:02
S35	92	S34 and adjust\$4	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 14:04
S36	17	("1111252" "1572918" "2433639" "2589958" "2897804" "4240386" "4738230" "4860702" "5136987").PN. OR ("5201287").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 14:44
S37	1154	123/197.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/07 07:09

Page 4

S38	127	S37 and adjust\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/07 07:10
S39	47	S38 and (slot or slit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR.	ON.	2006/07/07 07:11
S40	0	123/47.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/07 07:11
S41	0	123/48.ccis.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/07 07:11
542	47	123/48	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/07 07:12
S43	499	123/48B,ccls.	US-PGPUB; USPAT; USOCR	OR &	ON	2006/07/07 07:13
S44	343	S43 and piston	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/07 07:13
S45	98	S44 and (slit or slot)	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/07 07:13
S46	67	S45 and adjust\$4	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/07 07:13
S47	11	("1309917" "4830517" "4834031" "4926810" "6336441" "6394047" "6412453" "6499446" "6510821" "6516757").PN. OR ("6976456"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/07 07:15
S48	30	("1476309" "1987661" "2060221" "3180178" "4301695" "4406257" "5002023").PN. OR ("5165368").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/07 07:18

Page 5 7/10/2006 11:32:16 AM Page C:\Documents and Settings\eyoung1\My Documents\EAST\Workspaces\7-5-06 Crankshaft Coupling Structure for Engine.wsp

		T				2005/07/07 07:22
S49	17	("1987661" "2433639" "4240386" "3703839" "3861239" "4240386" "4738230" "5136987" "5146879" "5156121" "5163386" "5201287" "5335632" "5406911"),PN. OR ("5724935"),URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/07 07:22
S50	14	("1539769" "2356033" "4370901" "5136987" "5146884" "5215051" "5279268").PN. OR ("5406911").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/07 08:39
S51	499	123/48B.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/07 08:39
S52	14	S51 and (arc\$4 with (slot or slit or void or recess or gap or hole))	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/07 08:43
S53	12	("3695150" "3908623" "4254743" "4463710" "4584972" "4791898" "5115725" "5156121" "5413074" "5427067" "5794582").PN. OR ("6651607"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/07 08:45
S54	22	("2194022" "3859976" "3908623").PN. OR ("4463710"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/07 11:06
S55	0	123/197.4,197	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/07 11:07
S56	1092	123/197.4,197.3,48B.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/07 11:06
S57	612	S56 and stroke	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/07 11:07
S58	450	S56 and ((adjust\$4 or chang\$4 or vary\$4 or alternat\$3) with (stroke or displacement or "connecting rod"	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/07 11:11
S59	22	or "connecting rod" or length)) ("1783589" "1978058" "2151853" "3340010" "4044629" "4152955" "4211190" "4437438" "4466763" "4467756" "4712518" "49033964").PN. OR ("5060603").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/07 11:43

Page 6

S60	22	("1783589" "1978058" "2151853" "2340010" "4044629" "4152955" "4211190" "4457756" "44171518" "4466403" "4467756" "4712518" "4803964").PN. OR ("5060603").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/07 12:31
-----	----	---	------------------------------	----	----	------------------